S39	2	"6226237".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 09:14
S40	9	("20020124040" "20030084372" " 20040003063" "5170472" "52533 44" "5414851" "5450570" "55749 14" "5784702" "6535998" "66339 16" "6647508").PN.	USPAT	OR	ON	2007/03/08 14:22
S41	12	("20020124040" "20030084372" " 20040003063" "5170472" "52533 44" "5414851" "5450570" "55749 14" "5784702" "6535998" "66339 16" "6647508").PN.	US-PGPUB; USPAT	OR	ON	2007/03/08 14:25
S42	1	("20040177243").PN.	US-PGPUB; USPAT	OR	ON	2007/03/08 14:25 ·
S43	64	("5414851").URPN.	USPAT	OR	ON	2007/03/08 14:57
S44	2	((manag\$4 or administrat\$4)near6 (configur\$5 adj data))with (multi\$cell adj computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:02
S45	2	((manag\$4 or administrat\$4)with (configur\$5 adj data))with (multi\$cell adj computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:01
S46	2	((manag\$4 or administrat\$4)near6 (configur\$5))with (multi\$cell adj computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/08 15:02
S47	6	((manag\$4 or administrat\$4)with (configur\$5))with (multi\$cell adj computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:02

S48	2	((manag\$4 or administrat\$4)with	US-PGPUB;	OR	ON	2007/03/08 15:04
		(configur\$5 adj data))with (multi\$cell adj computer)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			,
S49	· .	((manag\$4 or administrat\$4)with (configur\$5 adj data))with ((plural\$4 or multi\$cell) adj computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:07
S50	0	((manag\$4 or administrat\$4)with (( multi\$cell) adj partition\$1))with identifi\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:08
S51	0	((manag\$4 or administrat\$4)with (( multi\$cell) adj partition\$1))with identifi\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:08
S52	3	((configur\$5 or initializ\$5 or boot\$4)near4 manag\$4)with ((multi\$processor or multi\$cell) adj computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 16:20
S53	1	((configur\$5 or initializ\$5 or boot\$4)near4 (stor\$4 or sav\$4 or writ\$4 or manag\$4))with (non\$volatile or flash or disk or drive)with((multi\$processor or multi\$cell) adj computer)with (unique adj2 (identity or identifi\$6 or id))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 16:24

S54	1	((configur\$5 or initializ\$5 or boot\$4)near4 (stor\$4 or sav\$4 or writ\$4 or manag\$4))with (non\$volatile or flash or disk or drive)with((multi\$processor or multi\$cell) adj (processor or cpu or controller or computer))with (unique adj2 (identity or identifi\$6 or id))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 16:26
S55	1	((configur\$5 or initializ\$5 or boot\$4)near4 (stor\$4 or sav\$4 or writ\$4 or manag\$4))with (non\$volatile or flash or disk or drive or NVRAM)with((multi\$processor or multi\$cell) adj (processor or cpu or controller or computer))with (unique adj2 (identity or identifi\$6 or id))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 16:27
S56	1	((configur\$5 or initializ\$5 or boot\$4)near4 (stor\$4 or sav\$4 or writ\$4 or manag\$4))with (non\$volatile or flash or disk or drive or NVRAM)with((multi\$processor or multi\$cell) adj (processor or cpu or controller or computer))same(unique adj2 (identity or identifi\$6 or id))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 16:28
S57	2	((configur\$5 or initializ\$5 or boot\$4)near4 (stor\$4 or sav\$4 or writ\$4 or manag\$4))with (non\$volatile or flash or disk or drive or NVRAM)same((multi\$processor or multi\$cell) adj (processor or cpu or controller or computer))same(unique adj2 (identity or identifi\$6 or id))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 16:29
S58	2	((configur\$5 or initializ\$5 or boot\$4)near4 (stor\$4 or sav\$4 or writ\$4 or manag\$4))same (non\$volatile or flash or disk or drive or NVRAM)same((multi\$processor or multi\$cell) adj (processor or cpu or controller or computer))same(unique adj2 (identity or identifi\$6 or id))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 16:29

S59	99	((configur\$5 or initializ\$5 or boot\$4)near4 (stor\$4 or sav\$4 or writ\$4 or manag\$4))same (non\$volatile or flash or disk or drive or NVRAM)and ((multi\$processor or multi\$cell) adj (processor or cpu or controller or computer))and(unique adj2 (identity or identifi\$6 or id))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/08 16:54
S60	2	"66362 <del>4</del> 9".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:14
S61	12	("6442559" "6904482" "7013385"  "7114180").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:31
S62	1	("6442559").URPN.	USPAT	OR	ON	2007/03/14 11:54
S63	21	("4757534"   "5724425"   "5740425"   "5758068"   "5897622"   "5903652"   "5905798"   "5933816"   "6012045"   "6018724"   "6032130"   "6041411"   "6061660"   "6092189"   "6125352"   "6189146"   "6202070"   "6223291"   "6247128"   "6272636"   "6343280").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/14 11:55
S64	12	("20020124040" "20030084372" " 20040003063" "5170472" "52533 44" "5414851" "5450570" "55749 14" "5784702" "6535998" "66339 16" "6647508").PN.	US-PGPUB; USPAT	OR	ON	2007/03/14 14:56
S65	4177	(non\$volatile or disk or ROM or eeprom or drive or flash)with (configur\$5 with (unique or identifi\$6 or ID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:17

			110 200:12	00	0::	2007/02/44 45 45
S66	583	S65 same (multi\$cell computer or blade\$pc or (blade adj server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:17
S67	583	S65 same (multi\$cell (computer or blade\$pc or (blade adj server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:22
S68	424	S65 with (multi\$cell (computer or blade\$pc or (blade adj server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:28
S69	0	(multi\$cell or ((multi or multiple or pluralit\$3)adj (computer or blade\$pc or (blade adj server))))with (non\$volatile or flash or eeprom or drive)with (configuration with (id or identiifer ir identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:32
S70	0	(multi\$cell or ((multi or multiple or pluralit\$3)adj (computer or blade\$pc or (blade adj server))))same (non\$volatile or flash or eeprom or drive)with (configuration with (id or identifier or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:40
S71		("6442559" "6904482" "7013385"  "7114180").uref.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:47
S72	0	("7082527").URPN.	USPAT	OR	ON	2007/03/14 15:58
S73	13	("5584326"   "5761380"   "6144992"   "6263378"   "6317826"   "6421777"   "6643772"   "6751658"   "6754818"   "6848034"   "6895480"   "6898705"   "6904482").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/14 15:58

S74	1	("6848034").URPN.	USPAT	OR	ON	2007/03/14 16:07
S75	11	("20020124114"   "20030097487"   "20040098544"   "20040111559"   "5938744"   "6018778"   "6115486"   "6188571"   "6195650"   "6237052"   "6279119").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/14 16:07
S76	2	S61 and (unique adj (id or identifi\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:40
S77	1934	configur\$5 with (unique adj (id or identifi\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:59
S78	1	("6904482").URPN.	USPAT	OR	ON	2007/03/14 16:39
S79		S61 same (unique adj (id or identifi\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:40
S80	12	S77 and ((multi\$cell or ((multi or multiple or pluralit\$3)adj (computer or blade\$pc or (blade adj server))))same (non\$volatile or flash or eeprom or drive))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:01
S81	2	determin\$4 with (root adj cell)with partition\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 16:58
S82	540	(stor\$4 or sav\$4 or writ\$5)with configur\$5 with (unique adj (id or identifi\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:00

S83	8	(stor\$4 or sav\$4 or writ\$5)with configur\$5 with ((correspond\$4 or respective)near3(unique adj (id or identifi\$5)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:12
S84	2	S82 same ((multi\$cell or ((multi or multiple or pluralit\$3)adj (computer or blade\$pc or (blade adj server))))same (non\$volatile or flash or eeprom or drive))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:09
S85	5	((stor\$4 or sav\$4 or writ\$5)with configur\$5 with ((correspond\$4 or respective)near3(unique adj (id or identifi\$5)))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:10
S86	489	((multi\$cell or ((multi or multiple or pluralit\$3)adj (computer or blade\$pc or (blade adj server))))with partition\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:10
S87		S86 and ((stor\$4 or sav\$4 or writ\$5)with configur\$5 with ((correspond\$4 or respective)near3(unique adj (id or identifi\$5))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:11
S88	1	S86 and ((stor\$4 or sav\$4 or writ\$5)same configur\$5 with ((correspond\$4 or respective)near3(unique adj (id or identifi\$5))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:11
S89	5	S86 and ((stor\$4 or sav\$4 or writ\$5)same configur\$5 with ((correspond\$4 or respective or unique)near3((id or identifi\$5))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:16

S90	1289	(stor\$4 or sav\$4 or writ\$5)with configur\$5 with ((correspond\$4 or respective or unique)near3( (id or identifi\$5)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:12
S91	1	S86 and ((stor\$4 or sav\$4 or writ\$5)same configur\$5 same (((correspond\$4 or respective or unique)near3(id or identifi\$5))with multi\$cell))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:16

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6795931".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:15
L2		(mismatch\$4 or ("not" adj (found or match\$3)))with identifi\$5 same ((multi\$cell or modular)with system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:21
L3	2111	((multi\$cell or modular)near3 system)and (configur\$5 same identifi\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:18
L4	7964	((multi\$cell or modular)near3 system)and (configur\$5 same identifi\$6 or id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:19
L5	94	((multi\$cell or modular)near3 system)and (stor\$4 or sav\$4 or writ\$4)near5 (configur\$5 with (identifi\$6 or id))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:01
L6	94	I4 and (stor\$4 or sav\$4 or writ\$4)near5 (configur\$5 with (identifi\$6 or id))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:41
L7	2	I5 and ((mismatch\$4 or ("not" adj (found or match\$3))or match\$4 or respective or correspond\$4)near4 (identifi\$5 or ID)same ((multi\$cell or modular)with system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:23

L8	2	l6 and ((mismatch\$4 or ("not" adj (found or match\$3))or match\$4 or respective or correspond\$4)near4 (identifi\$5 or ID)same ((multi\$cell or modular)with system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:23
L9	2	("6820209").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:01
L10	1	("6820209").URPN.	USPAT	OR	ON	2007/03/15 14:01
L11	7	("5774704"   "6021506"   "6108015"   "6112310"   "6397343"   "6438697"   "6460125").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/15 14:03
L12	1	UUID adj partition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:42
L13	425	(modular adj4 system)with partition\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:43
L14	88	((multi\$cell or modular) adj4 system)same(distribut\$4 near5 configur\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:44
L15	0	l14 same ((unique or respective or correspond\$4)near3 (id or identifi\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:46

L16	11	l14 and ((unique or respective or correspond\$4)near3 (id or identifi\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:46
-----	----	--	--	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8		(manag\$5 near3 ((configur\$5 or initializ\$5 or boot\$4)near2 (parameter\$1 or valu\$2 or information or data)))with (multi\$cell or blade\$server or ((blade or modular) adj server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 13:11
L9	3	( ((configur\$5 or initializ\$5 or boot\$4)near2 (parameter\$1 or valu\$2 or information or data)))with (multi\$cell or blade\$server or ((blade or modular) adj server))same (ID or identifi\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 13:12
L10	1	( (((configur\$5 or initializ\$5 or boot\$4)near2 (parameter\$1 or valu\$2 or information or data)))with (multi\$cell or blade\$server or ((blade or modular) adj server))same (ID or identifi\$5)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 13:13
L11	. 21	( (((configur\$5 or initializ\$5 or boot\$4)near2 (parameter\$1 or valu\$2 or information or data)))with (multi\$cell or blade\$server or ((blade or modular) adj server) or ((multiple or plural\$4)near2 (pC or blade\$4 or server)))same (ID or identifi\$5)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 13:15
L12	37	( (((configur\$5 or initializ\$5 or boot\$4)near2 (parameter\$1 or valu\$2 or information or data)))with (multi\$cell or blade\$server or ((blade or modular) adj server) or ((multiple or plural\$4)near2 (pC or blade\$4 or server)))same (ID or identifi\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 13:23
L13	0	("7184945").URPN.	USPAT	OR	ON	2007/03/16 13:21
L14	0	("7184945").URPN.	USPAT	OR	ON	2007/03/16 13:21

L15	23	("5303166"   "5341477"   "5440719"   "5465365"   "5475819"   "5544320"   "5548724"   "5761486"   "5956662"   "6006251"   "6069895"   "6157940"   "6173311"   "6182136"   "6259705"   "6279001"   "6286047"   "6314463"	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 13:21
		"6286047"   "6314463"   "6317786"   "6336138"   "6385643"   "6606316"   "6625147").PN.				

3/16/2007 1:26:47 PM C:\Documents and Settings\npatel3\My Documents\EAST\Workspaces\10797530\_2.wsp